


NANO C

1158







Monocoque frame



Elegant frame concept



Castor wheel connection



Folding back as standard feature

Designed by lightness

EFFICIENCY

- Permanent fitting with possibilities for adapting to changes in function reduces follow-up costs
- Extensive standard equipment minimises the need for costly custom design
- Minimum wear due to high-quality attachments

THERAPEUTIC BENEFIT

- Maximum smoothness of ride and low tare weight encourage independence of the user
- Fine adjustment of back element, seat and chassis enable adaptation to changes in function and individual user requirements
- Extensive range of equipment for long-term users

USE

- For permanent and long-term fittings
- For paraplegic fittings
- Very well suited for a wide range of medical conditions, including the severely afflicted
- Users with loss of lower extremity function (lateral transfer, hand rim propulsion)
- Excellent loading properties

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please fax the completed order form to: +49 5733 922 9311 Customer service: +49 5733 922 311

Billing address / Customer ref. no.:
Delivery address:
Consignment / Comments:



NANO C 1.158

All prices subject to VAT at the prevailing rate! Valid from 01.01.2022 – 31.12.2022.
Our Terms and Conditions as stated at www.meyra.de/AGB shall apply.
Find out more about this product at www.meyra.de.

Specifications

Seat width	380 400 420 440
Width, ready to move, from	540 / 560 / 580 / 600
Seat depth	380 / 400 / 420 / 440 / 460
Seat height front / rear	450 to 530 / 360 to 510
Total height	Seat height rear + back height
Back height	variable from 250 to 400
Length with footrest	800 - 982 (depending on frame length, wheel size and axle position)

Dimensions in mm, weights in kg, wheels in inches, dimension tolerance ± 10 mm

Visit www.meyra.de/measuring for guidance on measuring.

Caution!

Please note when using public transport (e.g. trains): the dimensions of the wheelchair may exceed the transport company guidelines. Please enquire beforehand.
When using auxiliary drives, the permissible total weight must not be exceeded.

User weight	100
Empty weight	7.5
Permissible total weight	110
Transport weight	5
Drive wheel	600 (24")
Drive wheel	635 (25")
Drive wheel	660 (26")
Brake test according to STANDARD	7°

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

00 Frame design (frame length)

	CODE	NAME	SD IN MM	BL IN MM
<input type="checkbox"/>	352	Frame medium	380 - 460	800 - 982

Please bear in mind your seat depth and specify this accordingly in category 02!

Frame design (frame angle and frame inset)

	CODE	NAME
<input type="checkbox"/>	346	Standard front frame 80°
<input type="checkbox"/>	4950	With frame inset, (20 mm per side)
<input type="checkbox"/>	<small>New</small> 903	Reinforced caster forks, recommended when using auxiliary drives and with heavier user weights
<input type="checkbox"/>	865*	Performance Varioblock

*Weight reduction through seat-height-dependent shortening of the Varioblock

01 Seat width (SW)

	CODE	NAME
<input type="checkbox"/>	38	SW 380 mm
<input type="checkbox"/>	40	SW 400 mm
<input type="checkbox"/>	342	SW 420 mm
<input type="checkbox"/>	344	SW 440 mm

02 Seat depth (SD) Tension-adjustable seat belt

	CODE	NAME	FRAME CODE
<input type="checkbox"/>	368	SD 380 mm incl. utensil bag under the seat belt	352
<input type="checkbox"/>	615	SD 400 mm incl. utensil bag under the seat belt	352
<input type="checkbox"/>	784	SD 420 mm incl. utensil bag under the seat belt	352
<input type="checkbox"/>	618	SD 440 mm incl. utensil bag under the seat belt	352
<input type="checkbox"/>	619	SD 460 mm incl. utensil bag under the seat belt	352

03 Front seat height (FSH) in combination with castor wheel (without seat cushion)

Horizontal columns = seat heights in mm Vertical lines = Ø castor wheel size in mm

Please select your required seat height by selecting a possible combination of seat height and wheel size. The maximum permitted seat height difference between front and rear seat height is 100 mm! Recommendation: Solid rubber castor wheels for heavier user weight

FSH	450	460	470	480	490	500	510	520	530
Ø 100 solid rubber C 151	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Ø 125 solid rubber C 325		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ø 140 soft solid rubber C 327			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A standard castor wheel is automatically configured when the FSH is selected. Xtrends castor wheels can be selected as an option in the following table.

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Horizontal drive wheel position (setting centre of gravity)

USER TYPE	PASSIVE			AVERAGE				ACTIVE		
Position	1	2	3	4	5	6	7	8	9	10
Distance * in mm	<input type="checkbox"/> 45	<input type="checkbox"/> 55	<input type="checkbox"/> 65	<input type="checkbox"/> 75	<input type="checkbox"/> 85	<input type="checkbox"/> 95	<input type="checkbox"/> 105	<input type="checkbox"/> 125	<input type="checkbox"/> 135	<input type="checkbox"/> 145

* Measurement: rear edge of back tube to centre of axle in mm

05 Drive wheels

CODE	NAME	Ø
<input type="checkbox"/> 651	Standard wheel, silver, tangential spokes	24"
<input type="checkbox"/> 2651	Standard wheel black, black, tangential spokes	24"
<input type="checkbox"/> 848	SILVERDESIGN silver with radial spokes and high flange hub	24"
<input type="checkbox"/> 695	Active wheel black with radial spokes, high flange hub, hollow section rim (Jumbo rim) black (pair)	24" 25" 26"
<input type="checkbox"/> 752	"Light" wheel radial spokes incl. Schwalbe RightRun light tyres and black aluminium hand rim, only in conjunction with 0° wheel camber CODE 423. (pair)	24"

With CODE 651 and 695, select your hand rim in category 06 and the tyres in category 07.
Or select optional Xtrends drive wheels incl. hand rims and tyres instead of drive wheels CODE 651, 695 or 752.
On request, XTrend drive wheels can be combined with other options

Xtrends drive wheels

CODE	ARTICLE	NAME	
<input type="checkbox"/> 688	1085185	Spinergy carbon drive wheel, black spokes incl. Schwalbe One tyres and stainless steel hand rims	24 x 1"
<input type="checkbox"/> 688	<input type="checkbox"/> blue 1081354 <input type="checkbox"/> red 1081356 <input type="checkbox"/> gold 1081355	Active wheel with radial spokes, Schwalbe ONE tyres, hub, rim and hand rim, colour	24 x 1"
<input type="checkbox"/> 688	1068713	Black Light with radial spokes incl. Marathon Plus Evolution and aluminium hand rim (pair)	24 x 1"
<input type="checkbox"/> 688	1073640	Spinergy wheel, 12 spoke black, incl. Schwalbe Marathon Plus, Evolution and stainless steel hand rim (pair). White or orange spokes possible on request!	24 x 1"
<input type="checkbox"/> 688	1087341	Day-Lite aluminium drive wheel, rim, hub and spokes black. Black aluminium hand rims and black MBL Speedlite tyres	25 x 1"

Wheel camber

CODE	NAME
<input type="checkbox"/> 423	0° wheel camber
<input type="checkbox"/> 447	3° wheel camber (adjustable track)

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

06 Hand rims and hand rim options (not in combination with Xtrends wheels)

CODE	NAME	Ø
<input type="checkbox"/> 493	Brightly polished stainless steel	24" 25" 26"
<input type="checkbox"/> 494	Aluminium, not in conjunction with Active wheel CODE 695	24"
<input type="checkbox"/> 445	Titanium, with 6 brackets, only in conjunction with Active wheel CODE 695 and Spinergy wheel article number: 1073640, 1085185	24" 25" 26"
<input type="checkbox"/> 849	Curve L, aluminium black powder coated, ergonomic hand rim profile, H 31 mm, only in conjunction with Active wheel CODE 695 and Spinergy wheel article number: 1073640, 1085185 and standard wheel CODE 651 and 2651	24"
<input type="checkbox"/> 850	Curve L Tetra Grip, slip-resistant coating, aluminium, suitable for tetraplegics, ergonomic hand rim profile, H 31 mm, only in conjunction with Active Wheel CODE 695 and Spinergy wheel article number: 1073640, 1085185 and standard wheel CODE 651 and 2651	24"
<input type="checkbox"/> 853	GEKKO, black powder coated aluminium with replaceable rubber lip, ergonomic hand rim profile, H 31 mm, only in conjunction with Active wheel CODE 695 and Spinergy wheel article number: 1073640, 1085185 and standard wheel CODE 651 and 2651	24"
<input type="checkbox"/> 168	Optigripp special hand rim for tetraplegics	24"
<input type="checkbox"/> 166	Silicone hand rim cover, smooth, black not in conjunction with aluminium hand rims CODE 494	24"
<input type="checkbox"/> 692	Narrow hand rim clearance	24"
<input type="checkbox"/> 693	Wide hand rim clearance	24"

Total width hand rim clearance see enclosed information.

07 Tyres (not in combination with Xtrends wheels)

CODE	NAME	Ø
<input type="checkbox"/> 496	Pneumatic tyres, grey, 8 bar	24 x 1"
<input type="checkbox"/> 395	Maxxis VN Master Alpha Protect tyres black, puncture-resistant, 10 bar	24 x 1"
<input type="checkbox"/> 897	Schwalbe Marathon Plus Evolution tyres black, puncture-resistant, 10 bar CAUTION! Limited delivery capacity	24 x 1" 25 x 1" 26 x 1"
<input type="checkbox"/> 363	Schwalbe ONE plain tread tyres, black, puncture-resistant, 9 bar CAUTION! Limited delivery capacity	24 x 1"
<input type="checkbox"/> <small>New</small> 1080617	Tyre pressure monitoring system for 4-wheel vehicles	
<input type="checkbox"/> <small>New</small> 1080618	Tyre pressure monitoring system for 2-wheel vehicles	

See category 05 Seat height in combination with drive wheel.

Note: Tyres consist of a rubber compound which may leave permanent marks or be hard to remove from some surfaces (e.g. plastic, wooden or parquet flooring, rugs and carpets).

We cannot accept liability for any abrasion damage to flooring.

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

08 Brakes

CODE	NAME
<input type="checkbox"/> 305	Pressure brake for user
<input type="checkbox"/> 2595	"Light" aluminium pressure brake, swing-away
<input type="checkbox"/> ^{New} 681	Brake lever extension, hinged, permanently mounted only in conjunction with CODE 305

09 Seat cushion

CODE	NAME
<input type="checkbox"/> 560	Seat cushion 30 mm
<input type="checkbox"/> 561	Seat cushion 60 mm
<input type="checkbox"/> 562	Fleece strips on seat belt

Netti Contour seat cushion ^{New}

CODE	PARTS NUMBER	NAME	COVER	WIDTH	DEPTH
<input type="checkbox"/> 7199	197302	Netti Contour	Breathable 3D cover	40	40
<input type="checkbox"/> 7199	197303	Netti Contour	Breathable 3D cover	40	45
<input type="checkbox"/> 7199	197304	Netti Contour	Breathable 3D cover	43	40
<input type="checkbox"/> 7199	197305	Netti Contour	Breathable 3D cover	43	45
<input type="checkbox"/> 7199	197306	Netti Contour	Breathable 3D cover	45	40
<input type="checkbox"/> 7199	197307	Netti Contour	Breathable 3D cover	45	45
<input type="checkbox"/> 7199	197308	Netti Contour	Breathable 3D cover	45	50
<input type="checkbox"/> 7199	197309	Netti Contour	Breathable 3D cover	50	45
<input type="checkbox"/> 7199	197310	Netti Contour	Breathable 3D cover	50	50

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Ride Forward seat cushions

SEAT WIDTH	380 mm	410 mm	430 mm	460 mm	480 mm	510 mm
300 mm	7600 <input type="checkbox"/>	7504 <input type="checkbox"/>				
330 mm						
360 mm	7604 <input type="checkbox"/>	7506 <input type="checkbox"/>	7605 <input type="checkbox"/>	7507 <input type="checkbox"/>		
380 mm	7508 <input type="checkbox"/>	7607 <input type="checkbox"/>	7509 <input type="checkbox"/>	7608 <input type="checkbox"/>		
410 mm	7609 <input type="checkbox"/>	7510 <input type="checkbox"/>	7511 <input type="checkbox"/>	7512 <input type="checkbox"/>	7610 <input type="checkbox"/>	7513 <input type="checkbox"/>
430 mm		7611 <input type="checkbox"/>	7514 <input type="checkbox"/>	7515 <input type="checkbox"/>		
460 mm	7612 <input type="checkbox"/>	7516 <input type="checkbox"/>	7613 <input type="checkbox"/>	7517 <input type="checkbox"/>	7614 <input type="checkbox"/>	7518 <input type="checkbox"/>
480 mm		7615 <input type="checkbox"/>		7616 <input type="checkbox"/>		7617 <input type="checkbox"/>
510 mm	7618 <input type="checkbox"/>	7519 <input type="checkbox"/>	7619 <input type="checkbox"/>	7520 <input type="checkbox"/>	7620 <input type="checkbox"/>	7521 <input type="checkbox"/>

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Ride Java seat cushions

SEAT WIDTH	RIDE JAVA CUSHION (SEAT DEPTH)					
	380 mm	410 mm	430 mm	460 mm	480 mm	510 mm
300 mm	7639 <input type="checkbox"/>	7640 <input type="checkbox"/>				
330 mm	7644 <input type="checkbox"/>	7645 <input type="checkbox"/>				
360 mm	7648 <input type="checkbox"/>	7523 <input type="checkbox"/>		7649 <input type="checkbox"/>		
380 mm	7524 <input type="checkbox"/>	7651 <input type="checkbox"/>	7525 <input type="checkbox"/>	7652 <input type="checkbox"/>	7653 <input type="checkbox"/>	7654 <input type="checkbox"/>
410 mm	7656 <input type="checkbox"/>	7526 <input type="checkbox"/>	7657 <input type="checkbox"/>	7527 <input type="checkbox"/>	7658 <input type="checkbox"/>	7528 <input type="checkbox"/>
430 mm	7660 <input type="checkbox"/>	7661 <input type="checkbox"/>	7529 <input type="checkbox"/>	7662 <input type="checkbox"/>	7663 <input type="checkbox"/>	7664 <input type="checkbox"/>
460 mm	7666 <input type="checkbox"/>	7530 <input type="checkbox"/>	7667 <input type="checkbox"/>	7531 <input type="checkbox"/>	7668 <input type="checkbox"/>	7532 <input type="checkbox"/>
480 mm	7670 <input type="checkbox"/>	7671 <input type="checkbox"/>	7672 <input type="checkbox"/>	7673 <input type="checkbox"/>	7674 <input type="checkbox"/>	7675 <input type="checkbox"/>
510 mm	7677 <input type="checkbox"/>	7533 <input type="checkbox"/>	7678 <input type="checkbox"/>	7534 <input type="checkbox"/>	7679 <input type="checkbox"/>	7535 <input type="checkbox"/>

10 Back strap height (BH)

CODE	BH	NAME
<input type="checkbox"/> 620	250 mm	Back strap, subsequently adjustable via hook and loop fasteners
<input type="checkbox"/> 626	300 mm	Back strap, subsequently adjustable via hook and loop fasteners
<input checked="" type="checkbox"/> 631	350 mm	Back strap, subsequently adjustable via hook and loop fasteners
<input type="checkbox"/> 632	400 mm	Back strap, subsequently adjustable via hook and loop fasteners

* individual back height on request

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

11 Back rest (standard 90° to seat) fold to seat as standard, angle-adjustable and lockable (backrest angle: -5°/ +5°/ + 10°)

CODE	NAME
<input type="checkbox"/> 410	Back with push handle, short
<input type="checkbox"/> 411*	Back with carbon handle
<input type="checkbox"/> 502	Back with push handle, mounted on back tube, infinitely variable height adjustment up to 150 mm only possible from BH 300 mm up
<input type="checkbox"/> 141	Push handles, swing-away
<input type="checkbox"/> 2032	ErgoSeat Pro chest pelottes, small, pair. Recommended with back heights of 300 - 400 mm
<input type="checkbox"/> <small>New</small> 2310**	Back tubes extended 15 mm per side
<input type="checkbox"/> <small>New</small> 2311**	Back tubes extended 25 mm per side
<input type="checkbox"/> <small>New</small> 2312**	Back tubes retracted 15 mm per side
<input type="checkbox"/> <small>New</small> 2313**	Back tubes retracted 25 mm per side

* CAUTION: Intended only for positioning, do not push or carry the wheelchair while the wheelchair user is in it

**from back height 350 mm

12 Back strap

CODE	NAME
<input type="checkbox"/> 235	Textile, black
<input type="checkbox"/> 292	Net fabric, breathable, black
<input type="checkbox"/> 2002	Back cover 20 mm wider, only in conjunction with CODE 235 or 292
<input type="checkbox"/> 2003	Back cover 40 mm wider, only in conjunction with CODE 235 or 292

13 Side panels and armrests

Please observe the marked functional properties!

1 = fixed 2 = swivel up 3 = detachable 4 = lockable 5 = height-adjustable armrest 6 = with wheel covering

CODE	NAME	1	2	3	4	5	6
<input type="checkbox"/> 783	Carbon side panel incl. carbon holder	●					●
<input type="checkbox"/> 100	Aluminium side panel in frame colour with cold-proof lining, fixed	●					●
<input type="checkbox"/> 11	Side panel removable (mounting position) not in connection with CODE 2903			●			●
<input type="checkbox"/> 2903	Side panel reinforced, black aluminium						

CODE	NAME	CHOICE OF COLOUR
<input type="checkbox"/> 2205	Side panels and footplate in colour of choice, only in conjunction with aluminium side panel CODE 100	<input type="text"/>

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

14 Legrests

CODE	NAME	LOWER LEG LENGTH
<input type="checkbox"/> <small>New</small> 99	One-piece carbon footrest, height, depth and angle-adjustable	310 - 480
<input type="checkbox"/> 311	Tubular footrest, aluminium, height-adjustable, matt black	360 - 480
<input type="checkbox"/> 312	One-piece footrest, height, depth and angle-adjustable	310 - 480
<input type="checkbox"/> 359	Calf strap	
<input type="checkbox"/> 4312	Stable aluminium profile LED footrest incl. headlamp and tail light in frame colour, one-piece, height, depth and angle-adjustable, incl. Blue-tooth module (from seat width 400 mm up)	360 - 480
<input type="checkbox"/> 4313	Stable aluminium profile LED footrest incl. headlamp and tail light in frame colour, one-piece, height, depth and angle-adjustable (from SW 400 mm up)	360 - 480

Required lower leg length in mm (measured without seat cushion)
Factory default setting of lower leg length from 310 to 470 mm possible.

15 Frame design

CODE	NAME	COLOUR
<input type="checkbox"/> 2300	Reflective sticker	white
<input type="checkbox"/> 2301	Reflective sticker	black
<input type="checkbox"/> 2302	Reflective sticker	Tricolore
<input type="checkbox"/> 2303	Reflective sticker	Rainbow

STICKER DESIGNS

<input type="checkbox"/> 2304	MEYRA design
<input type="checkbox"/> 2305	STRIPE design
<input type="checkbox"/> 2306*	Sticker applied at MEYRA's. If CODE 2306 application at MEYRA's is not selected, the sticker kits will be enclosed as a do-it-yourself version.

* not in connection with the colours white, black and tricolore and the MEYRA design

Caution: When selecting a design, a colour must be selected (CODE 2300, 2301, 2302 or 2303)

16 Frame colour

CODE	NAME
<input type="checkbox"/> 4920	Individual wet painting *Please mention the RAL colour or car paint CODE

Enter selected RAL CODE or car paint CODE.

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

17

Wheelchair options

Hand protectors and spoke guards

CODE	NAME
<input type="checkbox"/> 489	Transparent not in conjunction with Spinegy wheel art. no. 1073640 and magnesium wheels 1081357, 1081358, 1081359, 1081360, 1081361

Support castor wheels

<input type="checkbox"/> 728	Support castor wheels, one pair, swing-away (recommended) Not in conjunction with stepper tube CODE 309
<input type="checkbox"/> 729	One support castor wheel, swing-away, left -mounted
<input type="checkbox"/> 730	One support castor wheel, swing-away, right -mounted
<input type="checkbox"/> 309	Stepper tube (one pair)
<input type="checkbox"/> 4930	One stepper tube, left-mounted, not in conjunction with support castor wheels CODE 728/729
<input type="checkbox"/> 4931	One stepper tube, right-mounted, not in conjunction with support castor wheels CODE 728/730

Other options

<input type="checkbox"/> 833	Retainer strap with buckle
<input type="checkbox"/> 819	Passive lighting
<input type="checkbox"/> 205542100	Hand compressor
<input type="checkbox"/> 951	Accessory net
<input type="checkbox"/> 970	Walking aid holder in conjunction with stepper tube

Date:

Signature:

As at: 2022-01-01

USER DETAILS


First name*:	<input type="text"/>
Last name*:	<input type="text"/>
House no./street:	<input type="text"/>
Postcode:	<input type="text"/>
Town/City*:	<input type="text"/>
Country:	<input type="text"/>
Date of birth*:	<input type="text"/>
Diagnosis -1-:	<input type="text"/>
Diagnosis -2-:	<input type="text"/>
Tel. (landline):	<input type="text"/>
Tel. (mobile):	<input type="text"/>
eMail:	<input type="text"/>
Order no.:	<input type="text"/>

Please note that fields marked * are mandatory!

BODY MEASUREMENTS (IN MM):

Please refer to the sketches in the enclosed information!

1) Seat depth*:	<input type="text"/>
2) Seat width*:	<input type="text"/>
3) Chest width:	<input type="text"/>
4) Chest depth:	<input type="text"/>
5) Elbow height:	<input type="text"/>
6) Arm pit height:	<input type="text"/>
7) Back height:	<input type="text"/>
8) Head height:	<input type="text"/>
9) Forearm length:	<input type="text"/>
10) Lower leg length*:	<input type="text"/>
Height*:	<input type="text"/>
Weight (kg)*:	<input type="text"/>



All seat dimensions are always measured without seat cushion!

I hereby confirm that all details are complete and correct.
 I consent to the information/data I provide and the photos/videos taken of me being passed on to MEYRA GmbH (Meyra-Ring 2, 32689 Kalletal, Germany) and specialist retailers for the purposes of implementing the contract/manufacturing the product.

.....
 Date/signature

It is hereby confirmed that all details are complete and correct.

.....
 Date/signature of the specialist retailer



03

Article 1072385




03

Article 1072386



03

Article 1088444




05

CODE 848




05

CODE 651




05

CODE 695




05

CODE 752




05

Article 1068705




05

Article 1068707




05

Article 1073640



05

Article 1068713




06

CODE 849



06

CODE 850



06

CODE 853



08

CODE 2595




11

CODE 410



11

CODE 2310



11

CODE 141



12

CODE 748




13

CODE 100




14

CODE 312



14

CODE 4312



17

CODE 729

1. GENERAL - SCOPE OF APPLICATION

1.1. The following trading and delivery terms and conditions (T&C) of the company MEYRA GmbH shall be valid for all contracts concluded with the customers of the company. They shall also apply to all future transactions with the customer, even without a separate new agreement.

1.2. The customer accepts the T&C of MEYRA GmbH as binding for the present contract and also for all future contracts. Terms and conditions of the customer or third parties shall not apply. MEYRA GmbH shall not be bound by such terms and conditions, even if they are not expressly contradicted again in the individual case.

1.3. These conditions shall only apply if the customer is an entrepreneur (§ 14 German Civil Code, BGB), a legal entity under public law or a special fund under public law.

2. OFFER, CONCLUSION OF CONTRACT

2.1. MEYRA GmbH offers are subject to alteration and non-binding, unless they are expressly designated as binding.

2.2. MEYRA GmbH can accept orders or commissions of the customer within 14 days of receipt by confirming the offer in writing.

2.3. Confirmation of the offer in writing constitutes conclusion of the contract; this shall also apply to any alterations or additions to the orders.

2.4. We reserve ownership rights and copyrights to all documents provided to the customer in connection with the placing of the order. These documents may not be made accessible to third parties without our express written consent. Where we do not accept the customer's offer within the period specified in 2.2, these documents must be returned to us without delay.

3. PRICES

3.1. Prices are calculated exclusively in EURO. All prices are net prices. The respective statutory amount of value added tax shall be paid in addition.

3.2. Unless agreed otherwise in writing, our prices are ex works excluding packaging and shipping. Packaging and shipping costs shall be invoiced separately.

3.3. Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permissible if more than four months lie between the conclusion of the contract and the agreed delivery date. In the event of wages or material costs increasing thereafter until completion, we shall be entitled to increase the price appropriately in line with the cost increases. The customer shall only be entitled to withdraw from the contract if the price increase significantly exceeds the increase in the general cost of living between order and delivery.

3.4. For follow-up orders, MEYRA GmbH shall not be bound to the prices from a previous contract.

3.5. If the order value is below 150.00 € net value of goods, a minimum quantity surcharge of 9.50 € including freight shall be charged.

4. DISPATCH, TRANSFER OF RISK

4.1. The place of performance for deliveries is the registered office of MEYRA GmbH, unless expressly agreed otherwise.

4.2. If the goods are dispatched to the customer at the customer's request, the risk of accidental loss or accidental deterioration of the goods shall pass to the customer as soon as the goods (including partial deliveries) have been handed over to the third party designated to carry out the dispatch. This shall apply irrespective of whether the goods are dispatched from the place of performance or who bears the freight costs.

4.3. In the event of claims due to transport damages or losses being asserted against MEYRA GmbH, the customer must note the damage on the freight documents or, in the event of losses, arrange for this to

be recorded immediately and notify us of this within one week.

4.4. Insurance against transport damage shall only be taken out at the express request and expense of the customer.

4.5. In the event of delays in handover or dispatch for which the customer is responsible, the risk shall pass to the customer upon notification of readiness for dispatch.

4.6. Where the customer specifies no specific instructions, the choice of the transport route and means shall be made by MEYRA GmbH, without guarantee and liability for the cheapest and fastest mode of dispatch.

5. DELIVERY TIME, SCOPE OF DELIVERY

5.1. Prospective delivery periods are to be understood as estimated delivery periods, unless a specific date has been expressly stipulated in writing.

5.2. If the parties have agreed a delivery period, this shall commence on the date the order is confirmed. The delivery period shall be deemed to have been observed if the goods have left the factory or notification of readiness for dispatch has been given by the end of the delivery period.

5.3. Compliance with agreed delivery and performance dates assumes the timely receipt of all documents to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled on time, the deadlines shall be extended accordingly.

5.4. MEYRA GmbH shall not be liable for delays in delivery arising from force majeure or other events not foreseeable at the time of the conclusion of the contract (e.g. strike, operational disturbances, delayed delivery by our own suppliers, transport delays, unfavourable weather conditions, etc.) for which it is not responsible. The delivery period shall be extended by the duration of the temporary hindrance to performance for which MEYRA GmbH is not responsible, plus a reasonable period for resumption.

5.5. If the resulting delays exceed a period of six weeks, both parties to the contract shall be entitled to withdraw from the contract with regard to the scope of performance concerned.

5.6. MEYRA GmbH shall be entitled to make partial deliveries insofar as the partial delivery is usable for the customer within the scope of the contractual purpose, the delivery of the remaining goods is guaranteed and no additional costs arise for the customer as a result.

6. PAYMENT

6.1. Invoice amounts must be paid in full to one of the bank accounts specified by us within 30 days of receipt of the invoice. If the invoice is not for a spare part delivery or a repair invoice, the customer shall be entitled to a 2% discount if payment is made within eight days of receipt of the invoice.

6.2. We shall only accept cheques and bills of exchange if this has been expressly agreed beforehand. Acceptance shall be on account of performance. Invoice adjustments for cheques and bills of exchange are subject to redemption. The value shall be credited effective as of the day we have access to the equivalent amount.

6.3. If the customer fails to pay on the due date, the outstanding amounts shall bear interest at 8% above the respective base interest rate p.a.. We reserve the right to assert higher damages caused by default.

6.4. In the event of the customer being in arrears with a payment, all other claims based on the same legal relationship shall become due for payment immediately without the need for separate notification.

6.5. The customer shall only be entitled to offset if his counterclaims have been legally established or are undisputed. The customer shall only be authorised to exercise a right of retention insofar as his counterclaim

is based on the same contractual relationship.

6.6. MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

7. RETENTION OF TITLE

7.1. The goods delivered by MEYRA GmbH shall remain the property of MEYRA GmbH until complete settlement of all claims against the customer, including future claims.

7.2. The customer may sell the reserved goods in the ordinary course of business. He shall not be entitled to dispose of the goods in any other way, in particular by way of security assignment or pledge. The claims of the customer arising from the resale of the reserved goods (including other claims such as insurance claims or claims arising from unlawful acts in the event of loss or destruction) are hereby assigned to MEYRA GmbH by way of security. MEYRA GmbH accepts the assignment. The customer is entitled to collect the assigned claim as long as he fulfils his payment obligations. In the event of the customer being in default of payment, we shall be entitled to revoke the collection authorisation.

7.3. If the reserved goods are processed by the customer, it is hereby agreed that the processing shall take place in the name and for the account of MEYRA GmbH as manufacturer and that MEYRA GmbH shall directly acquire ownership or - if the processing takes place from or in connection with materials of several owners or the value of the processed item is higher than the value of the delivered goods - co-ownership (fractional ownership) of the newly created item in the ratio of the value of the subject of delivery to the value of the newly created item. If MEYRA GmbH loses its property through combination or commingling, or if it should not become the owner of the subject of delivery in the case of processing, the customer shall hereby in advance transfer to MEYRA GmbH a co-ownership share in the uniform item corresponding to the proportional value of the subject of delivery. MEYRA GmbH hereby accepts the offer. The delivery shall be replaced by gratuitous custody.

7.4. The customer is obliged to inform us immediately of any access by third parties to the goods delivered under retention of title and to provide us with the information and documents required to assert our rights. At the same time the customer shall inform the third party of MEYRA GmbH's right of ownership without being called upon to do so. Any costs arising in this connection shall be borne by the customer.

7.5. MEYRA GmbH undertakes to release the securities to which it is entitled at the customer's request insofar as they exceed the value of the claims to be secured by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

7.6. In the event of an insolvency petition concerning the customer, we hereby prohibit the resale or processing of our reserved goods and revoke our authorisation to collect the claims assigned to us.

7.7. In the event of default in payment by the customer, we shall be entitled to demand immediate surrender of the reserved goods.

8. GUARANTEE / LIABILITY

8.1. The customer shall inspect the delivered goods immediately upon delivery. Insofar as obvious defects are concerned or defects that would have been found in the course of a thorough inspection, the customer must notify us of complaints in writing within one week of receipt of the delivery. After expiry of this period, any liability for these defects shall be excluded. Guarantee claims for concealed defects shall only exist if they are notified to us in writing within one week of being detected.

8.2. In cases of defective delivery, we shall have the right, at our discretion, to repair the defective item or to replace it with a new delivery free of defect. The customer is obliged to make the defective item available to us free of charge for inspection and rec-

tification. If the rectification of defects or subsequent delivery does not succeed, if it is not provided within a reasonable period of time or if it is rejected by us, the customer may, at his discretion, withdraw from the contract or reduce the purchase price. It is not necessary to set a time limit in cases where this is not required by law.

8.3. The guarantee shall lapse if the customer changes the subject of delivery or has it changed by third parties without our consent and the removal of the defect is thereby rendered impossible or unreasonably difficult. The customer shall, however, in any case bear the additional costs of remedying the defect incurred as a result of the change.

8.4. Any guarantee which we may assume towards the first user of the rehabilitation equipment shall not be affected by the above provisions.

8.5. Excluded from the warranty is the function-related wear of all articles, assemblies, batteries and spare parts supplied by us, as well as the inappropriate or improper storage, use or handling of the goods.

8.6. Further claims of the customer, in particular for damages instead of performance and for compensation of any other direct or indirect damage - including accompanying or consequential damage, irrespective of the legal basis - are excluded. This shall not apply if MEYRA GmbH has fraudulently concealed a legal or material defect or if the damage is based on intent or gross negligence of MEYRA GmbH, its legal representatives or vicarious agents or a negligent violation of essential contractual obligations exists. Essential contractual obligations are such obligations of which the fulfilment is essential for the proper execution of the contract and on the observance of which the contractual partner regularly relies and may rely. In the case of damage to property and financial losses caused by slight negligence, however, the liability of MEYRA GmbH to pay compensation is limited in amount to foreseeable damage typical for this type of contract. Furthermore, physical injury and/or damage to health caused by a culpable breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded.

8.7. Liability under the German Product Liability Act (Produkthaftungsgesetz) remains unaffected.

9. LIMITATION

Claims of the customer on account of material defects shall become time-barred two years after handover/delivery of the goods to the customer. The period of limitation for replacement devices and repairs shall be one year from handover/delivery of the goods to the customer. Excluded from this are claims for damages due to injury to life, limb or health and/or claims for damages on account of grossly negligent or intentionally caused damage by MEYRA GmbH or its vicarious agents. In this respect, the statutory limitation periods shall apply.

9.1. REPLACEMENT DEVICE SERVICE

Irrespective of the guarantee, MEYRA GmbH shall offer its customers the option of replacing defective devices with refurbished ones. The following provisions shall apply in respect of these devices offered in exchange:

- Replacement devices are refurbished and technically in order.

- The defective device must be returned to MEYRA GmbH

free of charge within 15 working days. The returned device shall become our property.

- If the device is not returned, we shall charge 95% of the new retail price for the replacement device delivered.

- The returned device must correspond to the type and design of the delivered replacement device. Moreover the device must be reusable and may only show signs of wear

appropriate to normal use.

- It is incumbent upon MEYRA GmbH to assess whether the returned device fulfils the aforementioned conditions.

MEYRA GmbH Should the conditions not be met, we shall also charge the aforementioned amount less the residual value of the returned device for the delivered replacement device.

10. PRODUCT SAFETY

10.1. PRODUCT RECALL

In the event of a product recall being necessary on account of a defect in the delivered goods or due to existing legal obligations, the customer is obliged to cooperate in implementing the product recall in order to enable an efficient execution thereof. In particular, the customer is obliged in the event of a necessary product recall to inform MEYRA GmbH about the whereabouts of the subjects of delivery in the further supply chain up to the end customer. For this purpose, the customer must maintain suitable documentation on an on-going basis about the whereabouts of the goods and make this available to MEYRA GmbH on request. Insofar as the customer supplies the delivered goods to resellers, the customer is obliged to contractually impose on the reseller the obligations to cooperate specified here in order to ensure the execution of an efficient product recall.

10.2. The customer is obliged to instruct end customers in the handling and use of the delivered products by trained specialist staff. Insofar as the customer supplies the delivered goods to resellers, the customer is obliged to contractually impose on the reseller the duty to instruct in handling and use of the delivered product specified here.

11. LIABILITY FOR CONSTRUCTIONAL MODIFICATIONS

Attention is drawn to the fact that stricter statutory provisions apply in the case of MY INDIVIDUAL. Constructional modifications of MEYRA GmbH articles by the customer or a third party commissioned by him are only permissible if they comply with the safety requirements and have previously been consented to in writing by our management. For this purpose, a modified model and a design drawing shall be made available to us on request. In the event of constructional changes being made without the written consent of our management and damage arising to third parties as a result of the changes for which we are liable in the external relationship, the customer is obliged to indemnify us in the internal relationship against all claims of the third party.

12A. RETURN OF FINISHED PRODUCTS AND ASSEMBLIES

Goods returned without an enclosed copy of the delivery note or invoice will not be accepted for return. Goods returned (in their original packaging and absolutely as new) will be credited with 80% of the net value of the goods. Excluded from return are articles delivered more than three months previously, MY INDIVIDUAL, hygiene products, used and/or filled batteries and articles under €100.00 net commodity value. Individually manufactured wheelchairs (e.g. children's and adaptive wheelchairs) are likewise excluded. The sender shall bear the transport risk. Any cleaning and/or disinfection costs incurred in connection with approved returns will be charged at a flat rate of at least €79 net.

12B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

12B.1. It is not possible to cancel orders without the prior consent of MEYRA GmbH.

12B.2. Cancellations must be made in writing.

12B.3. If the cancellation of finished, deliverable prod-

ucts has been approved, the following shall apply:

- Rehabilitation articles will be credited in full.

Custom wheelchairs and sports wheelchairs will not be accepted for cancellation.

- In the event of cancellation of adaptive wheelchairs, 20% of the net value of the goods will be retained.

The cancellation fee for power chairs and scooters is 5%. A 10% cancellation fee will be charged for standard and lightweight wheelchairs.

12C. RETURN / DISPOSAL

Our prices are exclusive of the costs for the return and disposal of complete old devices of users other than private households. On request, we shall also organise the return and reuse/disposal of such devices, insofar as these were sold by us, against reimbursement of the costs incurred. Returns are not possible without the prior consent of MEYRA GmbH.

13. USE OF PERSONAL DATA

We are entitled to store personal data about the customer within the scope of the legal provisions, in particular the General Data Protection Regulation, and to process such data within the company.

14. PLACE OF JURISDICTION, APPLICABLE

law, severability clause

14.1. Unless expressly agreed otherwise, the place of performance shall be the registered office of MEYRA GmbH in Kalletal-Kalldorf.

14.2. For all legal disputes arising from the contractual relationship, the place of jurisdiction shall be determined by our registered office in Kalletal-Kalldorf. We are also entitled to bring legal action against the customer at his place of jurisdiction.

14.3. The law of the Federal Republic of Germany shall apply while excluding the UN Convention on Contracts for the International Sale of Goods.

14.4. Should individual provisions of these Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.